



CE MARKING



Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

14

Reference number to declaration of performance: 106

DIN EN 15102:2007+A1:2011

**Decorative and functional wall and ceiling coverings made of cellulose fleece in roll form
for indoor use**

Fire behavior	B-s1, d0
Formaldehyde emission	passed
Heavy metals + other elements	passed
Vinyl chloride monomer	passed
Sound absorption	NPD, no performance determined
Thermal resistance	NPD, no performance determined



DECLARATION OF PERFORMANCE NO. 106

Decorative and functional wall and ceiling coverings made of cellulose fleece in roll form for indoor use

branded Modern Walls

Fleece	Fleece NW 130
Aqua-Fleece	Aqua Fleece NW 150

Manufactured by
Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast



Definition System 3: Fire performance

The notified testing center MFPA Leipzig GmbH – NB 0800 – tested and rated fire performance by means of type testing and issued reports KB 3.1/14-136-3 of June 4th, 2014.

Definition System 4: Other essential characteristics

Declared performance

Essential characteristics	Attainment	Harmonized technical specifications
Fire behavior	B-s1, d0	DIN EN 15102:2007+A1:2011
Formaldehyde emission	passed	DIN EN 15102:2007+A1:2011
Heavy metals + other elements	passed	DIN EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	DIN EN 15102:2007+A1:2011
Sound absorption	NPD, no performance determined	DIN EN 15102:2007+A1:2011
Thermal resistance	NPD, no performance determined	DIN EN 15102:2007+A1:2011

Marktschorgast, 07.04.2017

Ralf Barthmann
Managing Director



CE MARKING



**Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast**

12

Reference number to declaration of performance: 103

DIN EN 15102:2007+A1:2011

**Decorative and functional wall and ceiling coverings made of glass yarns or glass fleece in
roll form for indoor use**

Fire behavior	B-s1, d0
Formaldehyde emission	passed
Heavy metals + other elements	passed
Vinyl chloride monomer	passed
Sound absorption	NPD, no performance determined
Thermal resistance	NPD, no performance determined



DECLARATION OF PERFORMANCE NO. 103

For decorative and functional wall and ceiling coverings made of glass yarns or glass fleece in roll or panel form for indoor use

branded Modern Walls

classic plus	103, 109, 114, 116, 117, 126, 129, 130, 131, 132, 135, 138, 139, 145, 146, 150, 152, 157, 158, 162, 164, 165,
pigment plus	204, 208, 209, 211, 216, 229, 231, 233, 235, 238, 239, 250, 252
Glassfleece	Glassfleece VP 35, Glassfleece VPP 100, Glassfleece VPP 130, Glassfleece VPP 200,
phantasy plus	900, 901, 902, 904, 905, 906, 907, 908, 911, 913, 918, 925, 935, 938, 942, 945, 946, 947, 949, 950, 951, 952, 953, 960, 965, 971, 972, 973, 974, 975, 977

Manufactured by
Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast



Definition System 3: Fire performance

The notified testing center MFPA Leipzig GmbH – NB 0800 – tested and rated fire performance by means of type testing and issued reports KB 3.1/13-180-1 on 01.07.2013, KB 3.1/13-180-3 on 01.07.2013 and KB 3.1/13-180-5 on 01.07.2013.

Definition System 4: Other essential characteristics

Declared performance

Essential characteristics	Attainment	Harmonized technical specifications
Fire behavior	B-s1, d0	DIN EN 15102:2007+A1:2011
Formaldehyde emission	passed	DIN EN 15102:2007+A1:2011
Heavy metals + other elements	passed	DIN EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	DIN EN 15102:2007+A1:2011
Sound absorption	NPD, no performance determined	DIN EN 15102:2007+A1:2011
Thermal resistance	NPD, no performance determined	DIN EN 15102:2007+A1:2011

Marktschorgast, 24.05.2019

Ralf Barthmann
Managing Director