

according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking


- · 1.1 Product identifier
- · Trade name: FAWORİ CERAMİX YARI MAT SENTETİK BOYA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Synthetic Paint
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Betek Boya ve Kimya Sanayi A.S.
 G.O.S.B. Tembelova Alani 3200 Sokak No:3206
 41400 Gebze/ Kocaeli/ Türkiye
 Tel: 00 90 262 678 30 00
 Fax: 00 90 262 641 21 68
 murat.kucukkul@betek.com.tr
- Further information obtainable from: R&D Department
- 1.4 Emergency telephone number: 0090 262 678 30 00

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure. Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

 Hazard-determining components of labelling: Solvent naphtha (petroleum), medium aliph. Distillates (petroleum), hydrotreated light naptha(petroleum), hydrotreated heavy Solvent naphtha (petroleum), light arom.
 Hazard statements

H226 Flammable liquid and vapour.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: FAWORİ CERAMİX YARI MAT SENTETİK BOYA

	(Contd. of page 1)
H372 Causes de	amage to the central nervous system through prolonged or repeated exposure.
H304 May be fo	ital if swallowed and enters airways.
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331	Do NOT induce vomiting.
P303+P361+P.	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Additional info	rmation:
α \cdot \cdot 21	

Contains 2-butanone oxime. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description:

• Dangerous compone	ents:	
CAS: 64742-88-7	Solvent naphtha (petroleum), medium aliph.	25-50%
EINECS: 265-191-7		
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	≤ 2.5%
EINECS: 265-150-3	🚸 Muta. 1B, H340; Carc. 1B, H350; Asp. Tox. 1, H304	
CAS: 96-29-7	2-butanone oxime	≤ 2.5%
EINECS: 202-496-6	Carc. 2, H351; Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Sens. 1, H317	
CAS: 64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy	≤ 2.5%
EINECS: 265-185-4	I Muta. 1B, H340; Carc. 1B, H350; STOT RE 1, H372; Asp. Tox. 1, H304	
CAS: 64742-95-6	Solvent naphtha (petroleum), light arom.	≤ 2.5%
EINECS: 265-199-0	 Flam. Liq. 3, H226; Muta. 1B, H340; Carc. 1B, H350; Asp. Tox. 1, H304; Acute Tox. 4, H332 	
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	<u> </u>

SECTION 4: First aid measures

4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Immediately rinse with water.

• After eye contact: Rinse opened eye for several minutes under running water.

• *After swallowing:* If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: FAWORİ CERAMİX YARI MAT SENTETİK BOYA

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

· 8.1 Control parameters

Revision: 24.03.2020

Trade name: FAWORİ CERAMİX YARI MAT SENTETİK BOYA

· Ingredients with limit values that require monitoring at the workplace:

(Contd. of page 3)

the workplace. Additional information: The lists valid d 8.2 Exposure controls Personal protective equipment:	luring the making ware used as basis
	uring the making were used as basis.
General protective and hygienic measur Keep away from foodstuffs, beverages an Wash hands before breaks and at the end Store protective clothing separately. Respiratory protection: In case of brief exposure or low pollution self-contained respiratory protective dev. Protection of hands: The glove material has to be impermeabl Due to missing tests no recommendation chemical mixture. Selection of the glove material on consid Material of gloves The selection of the suitable gloves does varies from manufacturer to manufactur of the glove material can not be calculate Penetration time of glove material The exact break trough time has to be observed. Eye protection: Tightly sealed goggles	es: d feed. l of work. n use respiratory filter device. In case of intensive or longer exposure use ice. le and resistant to the product/ the substance/ the preparation. to the glove material can be given for the product/ the preparation/ the leration of the penetration times, rates of diffusion and the degradation not only depend on the material, but also on further marks of quality and rer. As the product is a preparation of several substances, the resistance ed in advance and has therefore to be checked prior to the application. found out by the manufacturer of the protective gloves and has to be
SECTION 9: Physical and chemic	
9.1 Information on basic physical and c General Information Appearance: Form: Colour: Odour:	hemical properties Liquid According to product specification Characteristic
Odour:	
Oaour: Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 153 °C
Change in condition Melting point/freezing point:	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	: 153 °C
Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point:	: 153 °C Undetermined

Trade name: FAWORİ CERAMİX YARI MAT SENTETİK BOYA

	(Contd. of page 4
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
• Explosion limits:	
Lower:	0.6 Vol %
Upper:	6.5 Vol %
· Vapour pressure at 20 °C:	6.6 hPa
· Density at 20 °C:	1.36-1.40 g/cm ³
· Solubility in / Miscibility with	
water:	Not determined.
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
64742-88-	64742-88-7 Solvent naphtha (petroleum), medium aliph.		
Oral	LD50	>6500 mg/kg (rat)	
Dermal	LD50	>3000 mg/kg (rab)	
Inhalative	LC50/4 h	>14 mg/l (rat)	
64742-48-	9 Naphtha	(petroleum), hydrotreated heavy	
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>3000 mg/kg (rab)	
96-29-7 2-	96-29-7 2-butanone oxime		
Oral	LD50	3700 mg/kg (rat)	
Dermal	LD50	200-2000 mg/kg (rat)	
Inhalative	LC50/4 h	20 mg/l (rat)	
64742-95-	6 Solvent n	naphtha (petroleum), light arom.	
Oral	LD50	>6800 mg/kg (rat)	
Dermal	LD50	>3400 mg/kg (rab)	
Inhalative	LC50/4 h	>10.2 mg/l (rat)	
· Primarv ir	ritant effe		

Primary irritant effect:

• *Skin corrosion/irritation Based on available data, the classification criteria are not met.*

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: FAWORİ CERAMİX YARI MAT SENTETİK BOYA

(Contd. of page 5)

GB

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure
- Causes damage to the central nervous system through prolonged or repeated exposure.
- Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- *Aquatic toxicity:* No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport inf	ormation	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1263	
· 14.2 UN proper shipping name		
· ADR	1263 PAINT	
· IMDG, IATA	PAINT	

Safety data sheet according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
EMS Number: Stowage Category	<i>F-E,<u>S-E</u> A</i>
14.7 Transport in bulk according to Ann Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L Cultur El
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 8) GB

Safety data sheet according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: FAWORİ CERAMİX YARI MAT SENTETİK BOYA

(Contd. of page 7)

· National regulations:

Class	Share in %
Ι	0.5
NK	27.4

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H332 Harmful if inhaled. H340 May cause genetic defects. H350 May cause cancer. H351 Suspected of causing cancer. H372 Causes damage to the central nervous system through prolonged or repeated exposure. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 1B: Germ cell mutagenicity - Category 1B Carc. 1B: Carcinogenicity - Category 1B Carc. 2: Carcinogenicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1

GB