

	: 24.03.2020	Revision: 24.03.2020
SECTION	1: Identification of the substance/mixture and of the comp	any/undertaking
· 1.1 Product i		
· 1.2 Relevant	ENDÜSTRİYEL TİNER identified uses of the substance or mixture and uses advised against <i>levant information available.</i>	
• Application	of the substance / the mixture standard alkyd thinner for air-dried proa	lucts
Manufacture Betek Boya v G.O.S.B. Ten 41400 Gebze Tel: 00 90 20 Fax: 00 90 2 murat.kucukk Further info	e Kimya Sanayi A.S. 1belova Alani 3200 Sokak No:3206 / Kocaeli/ Türkiye 52 678 30 00	
· 2.1 Classifica	2: Hazards identification ation of the substance or mixture n according to Regulation (EC) No 1272/2008	
V	HS02 flame	
Flam. Liq. 2	H225 Highly flammable liquid and vapour.	
GI	IS08 health hazard	
Repr. 2	H361d Suspected of damaging the unborn child.	
-		
STOT NE 2	H373 May cause damage to organs through prolonged or repeated e.	xposure.
	H373 May cause damage to organs through prolonged or repeated e.H304 May be fatal if swallowed and enters airways.	xposure.
Asp. Tox. 1		xposure.
Asp. Tox. 1	H304 May be fatal if swallowed and enters airways. HS07	xposure.
Asp. Tox. 1 GH Skin Irrit. 2	H304 May be fatal if swallowed and enters airways. HS07	xposure.
Asp. Tox. 1 Asp. Tox. 1 GH Skin Irrit. 2 STOT SE 3 2.2 Label ele Labelling act	 H304 May be fatal if swallowed and enters airways. H307 H315 Causes skin irritation. H336 May cause drowsiness or dizziness. ments cording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. 	xposure.
Asp. Tox. 1 Asp. Tox. 1 GH Skin Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The product of the produc	 H304 May be fatal if swallowed and enters airways. H307 H315 Causes skin irritation. H336 May cause drowsiness or dizziness. ments cording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. 	xposure.

(Contd. on page 2)

Preparation date: 24.03.2020

Trade name: ENDÜSTRİYEL TİNER

(Contd. of page 1)

• Signal word Dan	ger (Common page 2)
· Hazard-determin	ning components of labelling:
toluene	
• Hazard statemen	ts
H225 Highly fla	ummable liquid and vapour.
H315 Causes sk	in irritation.
H361d Suspected	l of damaging the unborn child.
H336 May caus	e drowsiness or dizziness.
H373 May caus	e damage to organs through prolonged or repeated exposure.
	tal if swallowed and enters airways.
• Precautionary st	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P303+P361+P35	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazard	ls

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

• Description:

· Dangerous components:

Dungerous components.		
CAS: 108-88-3	toluene	50-100%
EINECS: 203-625-9	🚸 Flam. Liq. 2, H225; 🚸 Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1,	
	H304; 🚯 Skin Irrit. 2, H315; STOT SE 3, H336	
Additional information From the anothing of the listed harmond abarran and an to a section 16		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water.

• *After swallowing: If symptoms persist consult doctor.*

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3) GB

Safety data sheet

according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: ENDÜSTRİYEL TİNER

 $(Contd. \ of \ page \ 2)$

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: ENDÜSTRİYEL TİNER

(Contd. of page 3)

108-8	8-3 toluene
WEL	Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk
Addit	ional information: The lists valid during the making were used as basis.
Perso Gener Keep Imme Wash Avoid Avoid Respi In cas self-co	xposure controls nal protective equipment: ral protective and hygienic measures: away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing hands before breaks and at the end of work. ' contact with the skin. ' contact with the eyes and skin. ratory protection: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure ontained respiratory protective device. ction of hands:
	Protective gloves
Due t chemi Select Mater The so varies of the Penet The e obser	love material has to be impermeable and resistant to the product/ the substance/ the preparation. o missing tests no recommendation to the glove material can be given for the product/ the preparation/ ical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation rial of gloves election of the suitable gloves does not only depend on the material, but also on further marks of quality is from manufacturer to manufacturer. As the product is a preparation of several substances, the resista glove material can not be calculated in advance and has therefore to be checked prior to the application tration time of glove material xact break trough time has to be found out by the manufacturer of the protective gloves and has to ved. Tightly sealed goggles
SEC	TION 9: Physical and chemical properties

General Information Appearance:

· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Aromatic

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: ENDÜSTRİYEL TİNER

	(Contd. of page 4
• Change in condition Melting point/freezing po	pint: Undetermined.
· Flash point:	Not applicable.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Density:	Not determined.
 Solubility in / Miscibility w water: 9.2 Other information 	ith Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

108-88-3 toluene

Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	12124 mg/kg (rabbit)

Inhalative LC50/4 h 5320 mg/l (mouse)

· Primary irritant effect:

- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.*
- · Reproductive toxicity
- Suspected of damaging the unborn child.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: ENDÜSTRİYEL TİNER

(Contd. of page 5)

· Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR IMDG, IATA	1263 PAINT RELATED MATERIAL, special provision 640D PAINT RELATED MATERIAL
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
Label	3

accoraing to 1907/2006/E

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: ENDÜSTRİYEL TİNER

	(Contd. of page
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	11
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN1263, PAINT RELATED MATERIAL, special provision
-	640D, 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

• **REGULATION (EC)** No 1907/2006 ANNEX XVII Conditions of restriction: 3, 48

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Preparation date: 24.03.2020

Revision: 24.03.2020

Trade name: ENDÜSTRİYEL TİNER

(Contd. of page 7)

GB

· Relevant phrases H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1