



Fawori Synthetic Thinner

PRODUCT DESCRIPTION

Petroleum fraction-product synthetic thinner

APPLICATION

Fawori Synthetic Thinner can be used safely as a thinner in the application of all synthetic-based paints, varnishes and primers. Moreover, it can be used in cleaning the existing grease, rust and dust on surfaces before applying paint for the first time on iron-steel surfaces as it is used in cleaning synthetic paint application tools and instruments (brush, roller, gun, spatula etc.).

You can access the MSDS and TDS forms including the information regarding detailed application, healthy-safety-handling risks, and precautions on www.fawori.com.

FLASH POINT

41 °C

STORAGE

It can be stored in its unopened package, in a cool and dry place, away from frost and direct sunlight. While moving, ensure there are no leaks and spills, the cover is tightly closed and it is not exposed to any impact.

PACKAGE

10 L, 2,5 L, 1,5 L, 0,5 L, 0,3 L

WARNING STATEMENT

Danger

HAZARD

H226: Inflammable liquid and vapor.

H332 : Harmful if inhaled.

H304 Fatal if inhaled or swallowed.

PRECAUTIONARY STATEMENTS

P101 If medical advice is needed, have the product container or label at hand.

P102 Keep out of reach of children.

P103 Read the label before use.

P210 Keep away from heat/sparks/flame/hot surfaces - No smoking.

P241:Use explosion proof electrical/ventilating/lighting/.../equipment.

P301+P310 IF SWALLOWED: CALL NATIONAL POISON CENTER / Call a doctor. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse your skin with water/shower.

P405: Store locked up.

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Hazard-determining components for labeling: solvent naphtha (petroleum), medium aliphatic



Conforms to TS 2436.
Class A

This technical sheet is prepared based on laboratory data at normal conditions. Consult technical personnel for details that are not provided above. Otherwise, the manufacturing company cannot be held responsible for failures that may arise due to lack of knowledge. Our company reserves the right to change the information provided.

This product is manufactured by Betek A.Ş., with certificate of conformity to the standards TS EN ISO 9001, TS EN ISO 14001, TS 18001, TS EN ISO 50001, TS ISO 10002, TS ISO/IEC 27001.

Rev4 April 2019